

# COOK MEDICAL GYNECOLOGICAL CATALOGUE 2009 REFERENCES

## GYNECOLOGIC IMAGING

### **Goldstein Sonohysterography Catheters**

1. SR Goldstein, MD, New York Medical Center, New York, New York.
2. Goldstein SR. Unusual ultrasonographic appearance of the uterus in patients receiving tamoxifen. *Am J Obstet Gynecol.* 1994;170(2):447-451.
3. Goldstein SR. Use of ultrasonohysterography for triage of perimenopausal patients with unexplained uterine bleeding. *Am J Obstet Gynecol.* 1994;170(2):565-570.

### **Soules Intrauterine Catheter**

1. MR Soules, MD, P. Lazear, CRN, Department of Obstetrics and Gynecology, University of Washington, University Hospital, Seattle, Washington.

### **Cook SSG Injection Catheter**

1. Risquez F, Confino E. Transcervical tubal cannulation, past, present, and future. *Fertil Steril.* 1993;60(2):211-226.
2. Thurmond AS, Rosch J. Nonsurgical fallopian tube recanalization for treatment of infertility. *Radiology.* 1990;174(2):371-374.
3. Confino E, Tur-Kaspa I, DeCherney A, et al. Transcervical balloon tuboplasty. A multicenter study. *JAMA.* 1990;264(16):2079-2082.

### **Cook Transcervical Pelvic Venography (TPV) Set**

1. Perry CP. Current concepts of pelvic congestion and chronic pelvic pain. *J SLS.* 2001;5(2):105-110.
2. Beard RW, Highman JH, Pearce S, et al. Diagnosis of pelvic varicosities in women with chronic pelvic pain. *Lancet.* 1984;2(8409):946-949.

### **Tao Brush—IUMC Endometrial Sampler**

1. Tao L-C. Cytopathy of the endometrium: direct intrauterine sampling (*ASCP Theory and Practice of Cyto-Pathology*, No. 2). Chicago, IL: American Society of Clinical Pathology; 1995.
2. Tao L-C. Cytomorphologic appearances of normal endometrial cells during different phases of the menstrual cycle: a cytologic approach to endometrial dating. *Diagn Cytopathol.* 1995;13(2):95-102.
3. Maksem JA. Ciliated cell adenocarcinoma of the endometrium diagnosed by endometrial brush cytology and confirmed by hysterectomy: a case report detailing a highly efficient cytology collection and processing technique. *Diagn Cytopathol.* 1997;16(1):78-82.
4. Maksem J, Sager F, Bender R. Endometrial collection and interpretation using the Tao brush and the CytoRich fixative system: a feasibility study. *Diagn Cytopathol.* 1997;17(5):339-346.
5. Yang GC, Wan LS. Endometrial biopsy using the Tao Brush method: a study of 50 women in a general gynecologic practice. *J Reprod Med.* 2000;45(2):109-114.
6. Maksem JA. Performance characteristics of the Indiana University Medical Center endometrial sampler (Tao Brush) in an outpatient office setting, first year's outcomes: recognizing histological patterns in cytology preparations of endometrial brushings. *Diagn Cytopathol.* 2000;22(3):186-195.



[www.cookmedical.com](http://www.cookmedical.com)

AORTIC INTERVENTION

CARDIOLOGY

CRITICAL CARE

ENDOSCOPY

PERIPHERAL INTERVENTION

SURGERY

UROLOGY

WOMEN'S HEALTH

# COOK MEDICAL GYNECOLOGICAL CATALOGUE 2009 REFERENCES

## OBSTETRICS

### Cook CVS Sets—Chorionic Villus Catheter Sampling Sets

1. Firth HV, Boyd PA, Chamberlain P, et al. Severe limb abnormalities after chorion villus sampling at 55-66 days' gestation. *Lancet.* 1991;337(8744):762-763.
2. Miny P, et al. Limb-reduction defects and chorion villus sampling [letter]. *Lancet.* 1991;337:1423-1424.
3. Froster-Iskenius UG, Baird PA. Limb reduction defects in over one million consecutive livebirths. *Teratology.* 1989;39(2):127-135.
4. Burton BK, Schulz CJ, Burd LI. Limb anomalies associated with chorionic villus sampling. *Obstet Gynecol.* 1992;79(5, pt 1):726-730.
5. Burton BK, Schulz CJ, Burd LI. Spectrum of limb disruption defects associated with chorionic villus sampling [published correction appears in *Pediatrics*. 1993;92(5):722]. *Pediatrics.* 1993;91(5):989-993.
6. Correspondence with BK Burton, June 11, 1993.
7. Blakemore K, Filkins K, Luthy DA, et al. Cook obstetrics and gynecology catheter multicenter chorionic villus sampling trial: comparison of birth defects with expected rates. *Am J Obstet Gynecol.* 1993;169(4):1022-1026.
8. Medical Research Council. European trial of chorion villus sampling: MRC working party on the evaluation of chorion villus sampling. *Lancet.* 1991;337(8756):1491-1499.
9. Canadian Collaborative CVS—Amniocentesis Clinical Trial Group. Multicentre randomised clinical trial of chorion villus sampling and amniocentesis: first report. *Lancet.* 1989;1(8756):1-6.
10. Brambati B, Oldrini A, Lanzani A, et al. Transabdominal versus transcervical chorionic villus sampling: a randomized trial. *Hum Reprod.* 1988;3(6):811-813.
11. Collaborative studies on chorion villus sampling in North America. *Prenat Diagn.* 1992;12(5):313-476.

### Cook CVS Sets—Chorionic Villus Needle Sampling Sets

1. Robinson HP, de Crespigny LC, Ngu AC, et al. Transabdominal chorion villus sampling: a safe and reliable procedure. *Aust N Z J Obstet Gynaecol.* 1991;31(1):22-25.

### Bakri Postpartum Hemorrhage Balloon

1. American College of Obstetricians and Gynecologists. Postpartum hemorrhage. In: *ACOG Practice Bulletin No. 76*. Washington, DC: American College of Obstetricians and Gynecologists; 2006.
2. Dabelea V, Schultze PM, McDuffie RS Jr. Intrauterine balloon tamponade in the management of postpartum hemorrhage. *AM J Perinatol.* 2007;24(6):359-364.
3. Nelson WL, O'Brien JM. The uterine sandwich for persistent atony: combining the B-Lynch compression suture and an intrauterine Bakri balloon. *Am J Obstet Gynecol.* 2007;196(5):e9-10.
4. B-Lynch C, Keith L, Lalonde A, et al, eds. *A Textbook of Postpartum Hemorrhage*. Duncow, Kirkmahoe, Dumfriesshire, UK: Sapiens Publishing; 2006.
5. Bakri YN, Amri A, Abdul Jabbar F. Tamponade-balloon for obstetrical bleeding. *Int J Gynaecol Obstet.* 2001;74(2):139-142.
6. Condous GS, Arulkumaran S, Symonds I, et al. The "tamponade test" in the management of massive postpartum hemorrhage. *Obstet Gynecol.* 2003;101(4):767-772.
7. Bakri YN. Balloon device for control of obstetrical bleeding. *Eur J Obstet Gynecol Reprod Biol.* 1999;86:S84.

### Cook Cervical Ripening Balloon (CRB)

1. Atad J, Hallak M, Ben-David Y, et al. Ripening and dilation of the unfavourable cervix for induction of labor by a double balloon device: experience with 250 cases. *Br J Obstet Gynaecol.* 1997;104(1):29-32.
2. Atad J, Hallak M, Auslender R, et al. A randomized comparison of prostaglandin E2, oxytocin and the double-balloon device in inducing labor. *Obstet Gynecol.* 1996;87(2):223-227.
3. Sherman DJ, Frenkel E, Tovbin J, et al. Ripening of the unfavorable cervix with extraamniotic catheter balloon: clinical experience and review. *Obstet Gynecol Surv.* 1996;51(10):621-627.



[www.cookmedical.com](http://www.cookmedical.com)

# COOK MEDICAL GYNECOLOGICAL CATALOGUE 2009 REFERENCES

## GYNECOLOGIC ENDOSCOPY

### ***Hysteroscopic Polyp Snares***

1. Goudas VT, Session DR. Hysteroscopic cervical polypectomy with a polyp snare. *J Am Assoc Gynecol Laparosc.* 1999;6(2):195-197.

### ***Novy Cornual Cannulation Sets***

1. Novy MJ, Thurmond AS, Patton P, et al. Diagnosis of cornual obstruction by transcervical fallopian tube cannulation. *Fertil Steril.* 1988;50(3):434-440.



[www.cookmedical.com](http://www.cookmedical.com)

AORTIC INTERVENTION

CARDIOLOGY

CRITICAL CARE

ENDOSCOPY

PERIPHERAL INTERVENTION

SURGERY

UROLOGY

WOMEN'S HEALTH